In the Claims

1-8. (Canceled)

9. (Currently Amended) The device of claim 8 in which In a wireless telephony device including a microphone, a modulator, and an RF amplifier, the device serving to receive and transmit RF signals conveying audio data, an improvement comprising:

a display screen;

an optical sensor having plural sensing elements and producing image data; a lens for imaging an object onto the sensor; and

a processor for discerning plural-bit data steganographically encoded within said image data and for directing an action based on said plural bit data;

wherein said action based on said plural-bit data is comprises presenting information obtained from a remote computer on said display screen.

- 10. (Previously Presented) The device of claim 9 in which said information is a web page.
- 11. (Currently Amended) The device of claim 8 in which In a wireless telephony device including a microphone, a modulator, and an RF amplifier, the device serving to receive and transmit RF signals conveying audio data, an improvement comprising:

a display screen;

an optical sensor having plural sensing elements and producing image data; a lens for imaging an object onto the sensor; and

a processor for discerning plural-bit data steganographically encoded within said image data and for directing an action based on said plural bit data;

<u>wherein</u> said action is establishing a telephonic link to a phone number determined by reference to said plural-bit data

12. (Currently Amended) The device of claim 8 In a wireless telephony device including a microphone, a modulator, and an RF amplifier, the device serving to receive and transmit RF signals conveying audio data, an improvement comprising:

a display screen;

an optical sensor having plural sensing elements and producing image data; a lens for imaging an object onto the sensor; and

a processor for discerning plural-bit data steganographically encoded within said image data and for directing an action based on said plural bit data;

the device further including a GPS system for determining location of the device, and said action is a first action if the GPS system determines the device is in a first location, and said action is a second, different action if the GPS system determines the device is in a second, different location.

- 13. (Previously Presented) The device of claim 12 in which said first action is linking from said device to a first remote system, and said second action is linking from said device to a second remote system.
- 14. (Previously Presented) The device of claim 12 in which said first action is loading first graphic data from a remote system for presentation on said display screen, and said second action is loading second graphic data from a remote system for presentation on said display screen.
- 15. (Currently Amended) The device of claim 7 in which said processor also directs In a wireless telephony device including a microphone, a modulator, and an RF amplifier, the device serving to receive and transmit RF signals conveying audio data, an improvement comprising:

a display screen;

an optical sensor having plural sensing elements and producing image data; a lens for imaging an object onto the sensor; and <u>a processor for discerning plural-bit data steganographically encoded within</u>
<u>said image data and for directing</u> the device to transmit at least some of said plural-bit data to a remote system for further action.

- 16. (Previously Presented) The device of claim 15, further including a memory in which said plural-bit data is cached for later transmission to the remote system.
- 17. (Previously Presented) A method of operating a cell phone, including: capturing image data using a 2D image sensor included with said cell phone; discerning plural-bit data steganographically encoded in said image data; at least in part by reference to said plural-bit data, determining an identity of a remote system; and

establishing communication between said remote system and the cell phone thru a link that includes a cellular network.

- 18. (Previously Presented) The method of claim 17 wherein the remote system is another cell phone.
- 19. (Previously Presented) The method of claim 17 wherein the remote system is a computer, and the communication includes transferring graphic data from said computer for display on the cell phone.
- 20. (Previously Presented) The method of claim 17 that further includes sensing a location of the cell phone, and determining the identity of said remote system at least in part by reference to said location.

-**4-**